

OYPLA™

DIY

THANK YOU FOR YOUR ORDER



Portable Tyre Changer/Remover

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.


- Make sure all fastenings are tightly in place and that everything is in order before using the product. This should be checked periodically by an adult.
- Do not discard any of the packaging until you have checked that you have all of the parts and fittings required.
- This product is not a toy, and is only to be used for its designated purpose.
- Do not carry out alterations or modifications to this product.
- Clean only with a damp cloth. Do not use strong industrial cleaning substances or abrasive materials as these will damage the product.
- Only use this product on stable, level and dry ground.
- Ensure the tyre has no air in it before attempting to remove it.
- Children should be supervised to ensure they do not play with the product.
- Keep fingers, loose clothing and hair away whilst assembling, disassembling, or operating the product.
- If this product is damaged or has any defects, please contact cservice@oypla.com.

Assembly Instructions

Parts List:

If you are missing any of the below parts please contact cservice@oypla.com

Please be aware that you will be referring to this parts list throughout the assembly process.



1) Firstly, assemble the base – To start, line up part **C** and **E** as seen in the photos to the right and place part **A** on top as seen ensuring that all four holes align with each other.

Next, tightly secure this in place using the four bolts, nuts and washers (**G, H, I**). Please see photos for assistance.

2) For step 2, slide part **J** through the top hole of part **F** and secure in place using the securing pin (part **K**). Lastly attach part **D** through one of the remaining holes using the same part **F** and **K** to secure in place.

Please note part B does not require assembly - it can either be connected to part F to help remove a tyre, or connected to the top of part A once assembled, to help tighten the tyre changer's grip on a tyre.



HAVE A QUESTION ABOUT YOUR PURCHASE?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55
Email: cservice@oypla.com
Live Chat: WWW.OYPLA.COM

CONSIDER THE ENVIRONMENT!

In the United Kingdom, approximately 5 billion corrugated boxes are used per year amounting to around 83 per person! By recycling the cardboard box in which this product was packed, you contribute to the preservation and sustainability of the environment.

If you see a recycling logo on the packaging of your product, such as the below examples, that piece of packaging is recyclable. If there is not a recycling logo, please check with your local authorities before recycling.



PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

OYPLA.COM

AN OFFICIAL OYPLA BRANDED PRODUCT

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

USER MANUAL Model No: 3387