L**a** ⊢ THANK YOU FOR YOUR ORDER

Page 1

User Manual

Model Code: 3488

Contents 1010 1020 mmunnin ,000 1 Front Cover 990 2 Safety 980 1050 Instructions 2 Operating 0 2 % rel. °C 0 Instructions HYGRO THERMO BARO hPa 2 Technical Information 3 Technical Information Barometer

3 Back Cover

OYPLa

Manual Version: v1.0 Model Code: 3488 Oypla.com LLP / www.oypla.com

Contents

1 Front Cover

2

Safety Instructions

2 Operating Instructions

- 2 Technical Information
- 3 Technical Information

3 Back Cover

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- Leaving the product outside exposed to weather, especially direct sun, rain and salt air, will speed the weathering process. This can be slowed by removing the product from these conditions, or covering it with a suitable cover.
- This product is not a toy, and is only to be used for its designated purpose.

- This product is intended for both indoor and outdoor use.
- Do not carry out alterations or modifications to this product.
- Clean only with a damp cloth. Do not use strong industrial cleaning substances. Never clean while hot or in use.
- If the product is damaged or has any defects, please contact <u>cservice@oypla.com</u>.

Operating Instructions

Please refer to the diagram below for instructions on how to operate your product.

1. Obtain the standard atmospheric pressure from your local observatory or other ways.

2. Adjust the spiral on the back of the barometer with adjusting tool, and then make it point to the air pressure you obtained.

Technical Information

Notices

1. This thermometer and hygrometer are already accurate therefore, users do not need to adjust again.

2. Please hang the weather station in an adequately ventilated place, avoiding sunshine and corrosive air.

- 3. Use it in the required range, and ensure it does not touch water or steam.
- 4. Avoid violent vibration and hitting, do not dismount by yourself.

Manual Version: v1.0 Model Code: 3488 Oypla.com LLP / www.oypla.com

OYPLa

Precision Grade

Temperature: $-20^{\circ} \text{ C} - 50^{\circ} \text{ C}$	+/ -2° C
Relative humidity: 20%—45% RH	+/ -9% RH
45%—75% RH	+/ - 6% RH
75%—98% RH	+/ -9% RH
Barometric pressure: 1060 hPa-1030 hPa	+/ - 10 hPa
1030 hPa—990 hPa	+/ - 5 hPa
990 hPa—960 hPa	+/ - 10 hPa

Condition

Temperature: -20° C — 50° C Relative humidity: 20% — 98% RH Barometeric pressure: 1060 hPa— 960 hPa

HAVE A QUESTION ABOUT YOUR PURCHASE?

Our dedicated customer services team are happy to help. Contact them via:

Telephone:020 3600 22 55Email:cservice@oypla.comLive Chat:WWW.OYPLA.COM

CONSIDER THE ENVIRONMENT!

In the United Kingdom, approximately 5 billion corrugated boxes are used per year, amounting to around 83 per person! By recycling the cardboard box in which this product was packed, you contribute to the preservation and sustainability of the environment.

If you see a recycling logo on the packaging of your product, such as the below examples, that piece of packaging is recyclable. If there is not a recycling logo, please check with your local authorities before recycling.



PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION



AN OFFICIAL OYPLA BRANDED PRODUCT

Manual Version: v1.0 Model Code: 3488 Oypla.com LLP / www.oypla.com

Contents

1	Front	Cover

- 2 Safety Instructions
- 2 Operating Instructions
- 2 Technical Information

3 Technical Information

3 Back Cover

End

YPL 3