User Manual



THANK YOU FOR YOUR ORDER





Red Pedal Go Kart

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- Make sure all fastenings are tightly in place and that everything is in order before using the product. This should be checked periodically by an adult.
- Do not discard any of the packaging until you have checked that you have all of the parts and fittings required.
- Use the correct fixings as indicated. Do not tighten any of the nuts until the unit is completely assembled, then finish by tightening all nuts. All nuts must be tightened before use.
- This product contains small parts that could be a choking hazard if swallowed. Keep these items away from children.
- Do not carry out alterations or modifications to this product.
- This product is only suitable for children aged three and above.
- Persons (including children) with reduced physical, sensory and mental capacities
 or lack of experience and knowledge do not intend this product for use, unless
 persons responsible for their safety have given them supervision or instruction
 concerning use of the product.
- When the child is using this product, they should be supervised at all times.
- A crash helmet should be used when using this toy.
- Children should be supervised by an adult when using the go-kart.
- Do not use the go kart on steep hills or inclines as the hand brake is not suitable to slow down the go-kart enough.
- This go-kart is for use by one child only, it is not suitable for carrying any passengers.
- If the product is damaged or has any defects, please contact cservice@oypla.com


PLEASE DO NOT EXCEED THE 50KG LOAD CAPACITY.

Assembly Instructions

Parts List:

Please check you have all parts below before attempting to assemble this product.

If you are missing any of the below parts, please contact Oypla customer services: cservice@oypla.com



1. Attach the front frame to the car chassis and secure by using M5*45 bolts





2. Install the seat to the kart frame by attaching the four M5*40 bolts to the seat support



vo different levels, the seat side, two holes on each side ng two M5*40 bolts on each









4. Push the steering column through the steering rack

5. Push the steering wheel onto the end of the steering column and fix into place with one M8 nut. Replace the cap onto the steering wheel after tightening the nut.





6. Fix the nose plate to the front of the kart by using two 5*50 screws

HAVE A QUESTION ABOUT YOUR PURCHASE?

OUR DEDICATED CUSTOMER SERVICES TEAM ARE HAPPY TO HELP CONTACT THEM VIA:

TELEPHONE: 020 3600 2255 EMAIL: cservice@oypla.com LIVE CHAT: www.oypla.com

PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION



An Official OYPLA Branded Product



