

OYPLA™

DIY

THANK YOU FOR YOUR ORDER



# Tile Cutter

# Safety Instructions

## **Notice: Ensure you read and fully understand instructions before use**

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- Make sure all fastenings are tightly in place and that everything is in order before using the product. This should be checked periodically by an adult.
- This product is not a toy, and is only to be used for its designated purpose.
- Do not carry out alterations or modifications to this product.
- Clean only with a damp cloth. Do not use strong industrial cleaning substances.
- Leaving the product outside exposed to weather, especially direct sun and rain, will speed the weathering process. This can be slowed by removing the product from these conditions, or covering it with a suitable cover.
- Keep fingers, loose clothing, and hair away when using the product.
- This product is not intended for use by persons (including children) with reduced physical, sensory and mental capacities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the product by persons responsible for their safety.
- Only use this product on stable, level and dry ground.
- Do not discard any of the packaging until you have checked that you have all of the parts and fitting required.
- Use the correct fixings as indicated. Do not tighten any of the nuts until the unit is completely assembled, then finish by tightening all nuts. All nuts must be tightened before use.
- If the product is damaged or has any defects, please contact [cservice@oypla.com](mailto:cservice@oypla.com)

# Operating Instructions

1. Place cutter on the floor, making sure it is on a firm and level surface.
2. Practice using the tile cutter with some scrap tile or less expensive pieces.
3. Use a pencil to make a mark on both sides of the glazed side of the tile, where the cut begins and ends.
4. Slide the lever on the tile cutter so the blade is closest to you.
5. Place the tile in the cutter with the glaze side up. Make sure the marks are directly over the guide line, and the tile is snug against the stop. If you need to cut multiple tiles exactly alike, adjust the edge guide so it's against the side of the tile and tighten it in place. Position the tile cutter wheel on the base of the tile.
6. Push down on the lever and drag the wheel across the tile with even pressure to cut through the glazed surface. The motion should be continuous. Only score the tile once.
7. Push down on the lever to apply pressure on both sides of the score line, which is now the weakest point on the tile, and snap it in two.
8. Rub a sharpening stone against the cut edge of the tile to smooth it. If the cut edge will be hidden under moulding, you can skip smoothing it.

---

## HAVE A QUESTION ABOUT YOUR PURCHASE?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55  
Email: [cservice@oypla.com](mailto:cservice@oypla.com)  
Live Chat: [WWW.OYPLA.COM](http://WWW.OYPLA.COM)

---

## CONSIDER THE ENVIRONMENT!

In the United Kingdom, approximately 5 billion corrugated boxes are used per year amounting to around 83 per person! By recycling the cardboard box in which this product was packed, you contribute to the preservation and sustainability of the environment.

If you see a recycling logo on the packaging of your product, such as the below examples, that piece of packaging is recyclable. If there is not a recycling logo, please check with your local authorities before recycling.



---

PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

# OYPLA.COM

AN OFFICIAL OYPLA BRANDED PRODUCT

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

**USER MANUAL Model No: 3678**