



5 Tier Plastic Racking

USER MANUAL Model No: 3663, 3829

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- This product is not a toy, and is only to be used for its designated purpose.
- This product is intended for indoor use only.
- Never carry out alterations or modifications to this product.
- Make sure to load the platform evenly, ensuring that the weight is balanced.
- Leaving the product outside and exposed to weather, especially direct sunlight, rain and salt air, will speed the weathering process. This can be slowed by removing the product from these conditions, or covering the product with a suitable cover.
- Make sure that the 5 Tier Plastic Racking is placed on even ground to avoid the product falling when items are placed on it.
- Do not discard any of the packaging until you have checked that you have all the parts and fittings required.
- If the product is damaged or has any defects, please contact cservices@oypla.com

DO NOT EXCEED THE 20KG PER SHELF WEIGHT LIMIT





Please retain a copy of all instructions for future consultation.

Operating Instructions

Parts List:

If you are missing any of the below parts please contact cservice@oypla.com

Please be aware that you will be referring to this parts list throughout the assembly process.

| | |
|--|--|
| <p>Plastic Platform</p>  <p>5pcs</p> | <p>Rack Foot</p>  <p>4pcs</p> |
| <p>Rack Support Pole</p>  <p>16pcs</p> | <p>Platform Plug</p>  <p>4pcs</p> |

FOR THE TWO PACK THE NUMBER OF PARTS WILL BE DOUBLED

1. Lay the plastic platform on a flat surface so the underside is facing upwards. Once done, push a rack foot into the plastic platform. Make sure that the rack foot is as far in as possible to avoid the rack foot coming loose whilst the 5 Tier Plastic Racking is in use. Repeat with remaining rack feet.



2. Turn over the plastic platform that has the feet attached and push a rack support pole into the hole in the upside of the plastic platform. Repeat this for the remaining holes. Once done, place another plastic platform on top of the rack support poles. Make sure the plastic platform is held securely in place. If you wish for the racking to go higher, simply repeat this step to create more racking platforms.



3. Once you've reached the desired height for your 5 Tier Plastic Racking, simply push a platform plug into the holes on the top plastic platform. Once done, be sure to test the stability of the 5 Tier Plastic Racking by placing an object of considerable weight on the racking. Never exceed the 20kg shelf limit or the 100kg overall weight limit.

HAVE A QUESTION ABOUT YOUR PURCHASE?

OUR DEDICATED CUSTOMER SERVICES TEAM ARE HAPPY TO HELP
CONTACT THEM VIA:

TELEPHONE: 020 3600 2255

EMAIL: cservice@oypla.com

LIVE CHAT: www.oypla.com

PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

OYPLA.COM

An Official OYPLA Branded Product

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

USER MANUAL Model No: 3663, 3829