

User Manual

Model: 3965



80kg Sack Truck

Safety Information

Please ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- This product is not a toy, and is only to be used for its designated purpose.
- Never carry out any alterations or modifications to this product.
- Do not exceed the 80kg load capacity. Doing so can cause personal injury and/or product damage.
- Make sure to load the platform evenly, ensuring that the weight is balanced.
- Leaving the product outside and exposed to weather, especially direct sunlight, rain and salt air, will speed the weathering process. This can be slowed by removing the product from these conditions, or by covering the product with a suitable cover.
- Warning! Never exceed the 80kg rated capacity. Doing so may cause product failure and/or personal injury.

- Do not push the truck over rough or uneven ground, or up and down curbs. Use ramps where available.
- Do not transport loads that will impair your frontal vision, ensuring that the height of the load doesn't exceed the height of the handle.
- When transporting wide loads, ensure that there is a large enough space for the load to proceed.
- When transporting heavy loads, make sure that the heaviest part of the load is directly connected to the platform of the truck and touching the frame.
- If the product is damaged or has any defects, please contact cservice@oypla.com

Operating Instructions

The below information is designed to help you with the operation of your Oypla product

If the product is damaged, defective or you require more information, please contact our dedicated team at cservice@oypla.com.

How to Operate:

Hold the sack truck by the handle and pull the platform out until the platform is flat.

Place the load onto the sack truck, ensuring the heaviest part of the load is directly on the platform and the load is leaning against the frame. The platform is 39cm wide. Please do not place items wider than the platform on the sack truck.



For small loads, the handle should be in its default position.



For medium loads, the handle should be extended to its secondary position.



For large loads the handle should be extended to its final position.



To store the sack truck, push the platform up against the frame and push the handle down into it's default state.

Have a Question About Your Purchase?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55 Email: cservice@oypla.com Live Chat: www.oypla.com

Consider the Environment!

By recycling the cardboard box in which this product was packed, you contribute towards helping the environment. If you see a recycling logo such as the below on the packaging, it can be recycled. If a recycling logo is not present, please check with your local authority before recycling.









PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

An Official Oypla Branded Product Imported by Oypla.com LLP, Uxbridge, UB8 2FX