

THANK YOU FOR YOUR ORDER

User Manual

Model Code: 3987

Contents

1 Front Cover

-

2 Safety

Instructions

-

2 Setup

Instructions

-

4 Back Cover

End



45 Key Cabinet

OYPL3

Model Code: 3987

Oypla.com LLP / www.oypla.com

Contents

1 Front Cover

-

2 SafetyInstructions

-

2 SetupInstructions

-

4 Back Cover

End

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.


- This product should only be used
 for its designated purpose.
- Make sure all bolts are secured before using this product. The user is fully responsible for ensuring the safe is mounted securely before use.
- This product is intended for indoor use only.
- Do not exceed the key limit of forty-five.
- This product is not a toy, and is only to be used for its designated purpose.

- Do not carry out alterations or modifications to this product.
- This product contains small parts that could be a choking hazard if swallowed. Keep these items away from children.
- Do not discard any of the packaging until you have checked that you have all the parts and fittings required.
- If the product is damaged or has any defects, please contact <u>cservice@oypla.com</u>.

Setup Instructions

Parts List:

- If you are missing any of the below parts, please contact cservice@oypla.com
- Please be aware that you will be referring to this parts list throughout the assembly process.



Contents

1 Front Cover

_

SafetyInstructions

_

2 SetupInstructions

-

4 Back Cover

End

- 1. Place the 45 Key Safe against the surface you wish to mount it on and mark the holes in the safe onto the surface. *Ensure to check for pipes and/or cables in the mounting surface prior to mounting.
- 2. Once done, drill small holes into the surface that the 45 Key Safe is up against.
- 3. Push wall anchors into each of the holes, ensuring the go in as far as they can.
- 4. Screw the wall screws into the wall anchors and the drill both into the surface.

Once completed, make sure that the 45 Key Safe is secured correctly to the desired surface. You can do this by attempting to move the safe.

Setting Combination Lock

To set the combination lock code, first open the box.

Then, set the small switch on the inside of the lock to the "B" position. This is the position it needs to be in whilst you set the lock.

Whilst the switch is in the "B" position, move the numbers to the combination you wish for the lock to be.

When done, simply move the switch back to the "A" position and your lock is set, only your chosen combination will open the case.





Contents

1 Front Cover

-

2 Safety

Instructions

-

2 Setup

Instructions

-

4 Back Cover

End

HAVE A QUESTION ABOUT YOUR PURCHASE?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55
Email: cservice@oypla.com
Live Chat: WWW.OYPLA.COM

CONSIDER THE ENVIRONMENT!

In the United Kingdom, approximately 5 billion corrugated boxes are used per year, amounting to around 83 per person! By recycling the cardboard box in which this product was packed, you contribute to the preservation and sustainability of the environment.

If you see a recycling logo on the packaging of your product, such as the below examples, that piece of packaging is recyclable. If there is not a recycling logo, please check with your local authorities before recycling.









PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION



AN OFFICIAL OYPLA BRANDED PRODUCT

Model Code: 3987

Oypla.com LLP / www.oypla.com

