

OYPLA™

DIY

THANK YOU FOR YOUR ORDER



Workbench

Safety Instructions

Notice: Ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- This product should only be used for its designated purpose. Not suitable for use by children or unauthorised persons. Do not use as a ladder.
- Do not carry out alterations or modifications to this product.
- This product contains small parts that could be a choking hazard if swallowed. Keep these items away from children.
- Do not discard any of the packaging until you have checked that you have all the parts and fittings required.
- Make sure all fastenings are tightly in place and that everything is in order before using the product. This should be checked periodically by an adult.
- Leaving the product outside exposed to weather, especially direct sun, rain and salt air, will speed with the weathering process. This can be slowed by removing the product from these conditions, or covering it with a suitable cover.
- Only use on a stable, level and dry ground.
- Keep fingers, hair and loose clothing free from clamber at all times.
- Use the correct fixings as indicated. Do not tighten any of the nuts until the unit is completely assembled, then finish by tightening all nuts. All nuts must be tightened before use.
- Keep away from fire.
- Clean only with a damp cloth. Do not use strong industrial cleaning substances.
- If the product is damaged or has any defects, please contact cservice@oypla.com











Never exceed the maximum load capacity of 100kg, or it may result in product failure and/or personal injury.



Assembly Instructions


Parts List:

If you are missing any of the below parts please contact cservice@oypla.com

Please be aware that you will be referring to this parts list throughout the assembly process.

No.	Figure	Description	Quantity (pcs)
1		Table Top	2
2		Wood Screw 4.8mm x 16mm	16
3		Slide Base	2
4		Small Screws and Nuts (Hex M6 x P1.0)	8
5		Washers	20 (6 Spare)
6		Large Screws and Nuts (Nylon M6 X P1.2)	6
7		Cross Bar	2
8		Leg Frame	2
9		Plastic Foot Pads	4
10		Leg Frame Support Poles	2

11		Metal Wood Connector	4
12		Clammer	4




Step 1: Firstly, turn 2 metal wood connectors upside down (11) and attach to one slide base (3) using the screws and nut already pre-inserted in the slide base – Please see photos for reference. Repeat this step with the remaining 2 wood connectors and slide base.

Step 2: Now, attach the slide base to the upside down table tops using all 16 wood screws (2). Again see photos for help as each slide base must attach to both table tops.



Step 3: Next, assemble the legs – To start, simply attach 1 leg frame (8) to the slide base (3) using a large screw, nut and washer (5 & 6), making sure it is attached to the holes located near the red circles. Ensure the feet are facing outwards so that the leg frame is the right way round and please see all photos for guidance - (**Please note that the nut used is a locking nut, once tightened it will not be able to be loosened due to the rubber seal**). Repeat this step for the other leg frame and attach onto the other side of the slide base.

Step 4: For step 4, attach a support pole (10) to the remaining hole in the slide base (3). Again use 1 large screw, nut and washer (5 & 6). Then attach the support pole to the 2 support arms of the leg frame (8) as seen in the photos below – Repeat these steps for the remaining support pole.



Step 5: Simply turn the assembled product over and insert all four feet pads (9) to the bottom of each leg. Once done turn back over.



Step 6: Lastly slide each cross bar (7) over the pre drilled holes on the leg frames (8) and secure in place using the small screws, nuts and washers (4 & 5). Ensure securely tightened.



Step 7: Finally, insert the 4 clampers (12) into any desired location by pushing them through the circular holes on the table tops (1).

HAVE A QUESTION ABOUT YOUR PURCHASE?

OUR DEDICATED CUSTOMER SERVICES TEAM ARE HAPPY TO HELP
CONTACT THEM VIA:

TELEPHONE: 020 3600 2255

EMAIL: cservice@oypla.com

LIVE CHAT: www.oypla.com

PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

OYPLA.COM

An Official OYPLA Branded Product

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

USER MANUAL Model No: 4010