



Out of this world savings.

User Manual

Model: **4641**



3 Ton Axle Jacks

CE

UK
CA

Contents

Safety Information	2
Operating Instructions.....	3

Safety Information

Please ensure you read and fully understand instructions before use


While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- This product is not a toy, and is only to be used for its designated purpose.
 - Never carry out any alterations or modifications to this product.
 - Only use this product on stable, level and dry ground.
 - Always keep your hands and feet away from the immediate working area.
 - Before using the product, make sure all fastenings are tightly in place and that everything is in order, and checked periodically.
 - Leaving this product outside exposed to weather, especially direct sun, rain and salt air, will speed with the weathering process. This can be slowed by removing the product from these conditions, or covering it with a suitable cover.
 - **Warning! Do not exceed the rated capacity – doing so may cause personal injury and/or product failure.**
 - When not in use the lift must be stored in the lowest position in a dry location.
 - This product is not intended for use by persons (including children) with reduced physical, sensory and mental capacities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the product by persons responsible for their safety.
 - Clean only with a damp cloth. Do not use strong industrial cleaning substances or abrasive materials as these will damage the product. Do this regularly to keep the product clean of any oil or grease.
 - If the product is damaged or has any defects, please contact cservice@oypla.com.
 - **Warning! Only use the jacks as a pair, not individually.**
-

Operating Instructions

The below information is designed to help you with the operation of your Oypla product

If the product is damaged, defective or you require more information, please contact our dedicated team at cservice@oypla.com.



1. Refer to your vehicle owner's manual for the correct jack lifting point. This area of the vehicle should be specified by the vehicle manufacturer.
2. Position the stands under vehicle at points specified by vehicle manufacturer.
3. To adjust the stands, hold the control lever up while lifting saddle shaft to the desired height. Push the control lever downwards to lock pawl into teeth located in central column. Make sure the pawl is fully engaged with the teeth.
4. Carefully lower the load onto the stands.

Have a Question About Your Purchase?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55

Email: cservice@oypla.com

Live Chat: www.oypla.com

Consider the Environment!

By recycling the cardboard box in which this product was packed, you contribute towards helping the environment. If you see a recycling logo such as the below on the packaging, it can be recycled. If a recycling logo is not present, please check with your local authority before recycling.



PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

An Official Oypla Branded Product

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

User Manual

Model Code: 4641

Oypla.com LLP / cservice@oypla.com